



GREENHOUSE ACCESSORIES






IG Aatreyas is a leading global manufacturer & supplier of protected cultivation structures, covering materials & accessories.

Our focus is on providing one stop solutions for all types of greenhouses & shade netting systems for farmers.

We are committed to delivering durable agro engineering solutions that are suitable for every crop and climatic condition, enabling our clients to achieve the highest production of high quality.

We produce long-lasting and custom-made designs that are cost-effective and capable of withstanding harsh climatic factors. At IG Aatreyas, we are driven by quality products, customer satisfaction, and a vision to make a lasting impact in the agriculture industry.





**GI SECTION /
PROFILE FOR
GREEN HOUSE**

HSN Code
72169910

SPECIFICATION

Thickness (mm)
0.50 mm

Weight / m (gm)
225-245 gm

Length (m)
4.00 & 6.00 m

Material
Galvanized Iron

PAPER SIZE
OD (MM)
-

DIMENSIONS
(mm)
-

SHAPE
-



**GI ZIG ZAG WIRE /
SPRING**

HSN Code
72169910

SPECIFICATION

Thickness (mm)
2.5 mm

Weight / m (gm)
-


Length (m)
1.5 m

Material
Galvanized Iron

PAPER SIZE
OD (MM)
-

DIMENSIONS
(mm)
-

SHAPE
-



**PVC COATED SPRING
8 mm (KGS)**

HSN Code
-

SPECIFICATION

Usage/Application
Greenhouse/Net house

Colour
BLACK/BLUE/WHITE

Length (m)
2 MTR

Material
PVC coated rust-free

Packaging Type
1000MTR/BOX

Wire Diameter
2.2 mm to 2.5mm

SHAPE
zig - zag



**GI BRACKET
F BIG**

HSN Code
73084000

SPECIFICATION

Thickness (mm)
5 mm

Weight / m (gm)
225-245 gm

Length (m)
4.00 & 6.00 m

Material
Hot dip Galvanized Iron

PAPER SIZE
OD (MM)
-

DIMENSIONS
(mm)
13 x 6.5 inch

SHAPE
F Type



GI ANGLE BRACKET (PLATE)

HSN Code
73084000

SPECIFICATION

Thickness (mm)
5.00 mm

Weight / m (gm)
-

Length (m)
-

Material
Galvanized Iron

PAPER SIZE
OD (MM)
-

DIMENSIONS
(mm)
150 x 150 mm

SHAPE
-



GI T JOINT FOR TOP JOINT

HSN Code
73063090

SPECIFICATION

Thickness (mm)
2 mm

Weight / m (gm)
-

Length (m)
-

Material
Galvanized Iron

PAPER SIZE
OD (MM)
Ø 33 mm

DIMENSIONS
(mm)
9 inch x 5 inch

SHAPE
-



L BRACKET

HSN Code
-

SPECIFICATION

Thickness (mm)
5 mm

Weight / m (gm)
-

Length (m)
-

Material
Hot dip Galvanized Iron

Diameter
OD
-

DIMENSIONS
(inch)
6.5 x 6.5 inch

SHAPE
L Type



GI GREEN HOUSE GUTTER 4040

HSN Code
73084000

SPECIFICATION

Thickness (mm)
1.8 mm

Weight / m (gm)
400 mm


Length (m)
2 mm

Material
Galvanized Iron

PAPER SIZE
OD (MM)
-

DIMENSIONS
(mm)
-

SHAPE
-



Gutter
(Funnel)

HSN Code

-

SPECIFICATION

Capacity
Standard

Powder Coated
GI


Usage/Application
Funnel

Material
Mild Steel

Diameter
OD (MM)

-

Country of Origin
Made in India



Gutter
(End Cap)

HSN Code

-

SPECIFICATION

Thickness (mm)
2 mm

Usage/Application
Greenhouse &
Poly House Accessories

Material
Stainless Steel

Diameter
OD (MM)

-

Brand
IG Aatreyas



Gutter
(Plate)

HSN Code

-

SPECIFICATION

Thickness (mm)
2 mm


Usage/Application
It Is Use To Join Two Arch And
Gutter In Dome Shape Structure

Galvanized Iron
5 mm

Dimension
280x165 mm

Brand
IG Aatreyas

Country of Origin
Made in India



Gutter
Sealing Tap

HSN Code

-

SPECIFICATION

Thickness (mm)
10 mm

Dimension
9x3 mm

Length (m)
30 Meter

Material
Rubber

Brand
IG Aatreyas

Country of Origin
Made in India



Silicone
Paste

HSN Code
-

SPECIFICATION


Non-flammable and
will not Shrink

Fast curing and
provides permanent
adhesion to most surfaces
with excellent elasticity

4 Inch nozzle for
hard-to-reach areas

Diameter
OD (MM)
-

DIMENSIONS
(mm)
-



GI CLAMP 2"
FULL

HSN Code
72169910

SPECIFICATION

Thickness (mm)
1.8, 2.00 mm

Weight / m (gm)
-

Length (m)
-

Material
Galvanized
Plain Sheet

Diameter
OD (MM)
Ø60 mm,

DIMENSIONS
(mm)
-



GI HEX BOLTS / Washers
HOT DIP

HSN Code
73181500

SPECIFICATION

Thickness (mm)
2.00

Weight / m (gm)
-

Length (Inch)
2", 2.5", 3", 4", 5" 7" Inch

Material
Galvanized Iron

PAPER SIZE
OD (MM)
-

DIMENSIONS
(mm)
M10 x 50 mm

SHAPE
Hexagonal



GI
I-Bolt

HSN Code
-

SPECIFICATION

Thickness (mm)
8.00

Weight / m (gm)
-

Length (Inch)
5"

Material
GI

PAPER SIZE
OD (MM)
-

DIMENSIONS
(mm)
-

SHAPE
Round



**GI SELF DRILLING
SCREW
(SDS)**

HSN Code
73181600

SPECIFICATION

Thickness (mm)
-

Weight / m (gm)
-

Length (m)
-

Material
Galvanized Iron

Diameter
OD
-

DIMENSIONS
(mm)
M10 x 8.4 mm

SHAPE
Hexagonal



**STEEL
PULLEY**

HSN Code
-

SPECIFICATION

Thickness (mm)
-

Usage/Application
Greenhouse

Type
Pulley

Material
Stainless Steel

Packaging Type
Box

Brand
IG Aatreyas

Country of Origin
Made in India



**Plastic Pulley
With
GI Clamp**

HSN Code
84254900

SPECIFICATION

Thickness (mm)
-

Weight / m (gm)
-

Length (m)
-

Material

- Pulley - Virgin Plastic
- Clamp - GP
- Nut & Bolt - Zinc Coated

DIMENSIONS
(mm)
• Pulley – Ø60 mm
• Clamp – 2.0 mm
• Nut & Bolt - M10



**Small
Pulley**

HSN Code
-

SPECIFICATION

Diameter
20 mm

Usage/Application
Greenhouse &
Poly House Accessories

Material
Mild Steel

Capacity
0.5 ton.

Brand
IG Aatreyas

Country of Origin
Made in India



Net Clip

HSN Code
73084000

SPECIFICATION

Usage/Application -
Greenhouse &
Poly House Accessories

Material
HDPE Plastic

Packaging Type
Standard

Brand
IG Aatreyas

Country of Origin
Made in India



PLASTIC ROPE
8 mm
(RASSI)

HSN Code
56074900

SPECIFICATION

Thickness (mm)
-

Weight / m (gm)
-

Length (Inch)
-

Material
Polypropylene(PP)

Diameter OD
(MM)
Ø 08 mm

DIMENSIONS
(mm)
-

SHAPE
-



PLASTIC
WIRE

HSN Code
72169910

SPECIFICATION

Thickness (mm)
2.2, 2.5, 3.0, 3.5, 5.0 mm

Weight / m (gm)
-

Length (m)
Depends on
Structure Dimension

Material
Plastic

PAPER SIZE
OD (MM)
-

DIMENSIONS
(mm)
-



GI WIRE ROPE
3, 4, 5, 6 & 8 mm

HSN Code
73121020

SPECIFICATION

Thickness (mm)
-

Weight / m (gm)
-

Length (mm)
1000 m

Material
Galvanized Iron

Diameter
OD
Ø 4 mm

DIMENSIONS
(mm)
-

SHAPE
-



GI WIRE ROPE
U CLAMP
3 mm

HSN Code
73159000

SPECIFICATION

Thickness (mm)
-

Weight / m (gm)
-

Length (m)
-

Material
Galvanized Zinc Plated

Diameter
OD
Ø 3 mm

DIMENSIONS
(mm)
-

SHAPE
-



GI HOLE CLAMPS
(6 HOLE)

HSN Code
73084000

SPECIFICATION

Thickness (mm)
-

Dimensions
Standard

Material
Galvanized

Diameter
OD
Ø 3 mm

DIMENSIONS
(mm)
-

SHAPE
-



GI WIRE GRIPPER
V- SMALL
V - BIG

HSN Code
73063090

SPECIFICATION

Thickness (mm)
-

Dimensions
Standard

Material
Galvanized

Diameter
OD
Ø 3 mm

DIMENSIONS
(mm)
-

SHAPE
-



OVEL CLIP

SPECIFICATION

Dimensions
Standard

Length (m)
-

Material
Polypropylene (PP)

Diameter
OD
Ø 3 mm

DIMENSIONS
(mm)
-

SHAPE
-



R HOOK
4mm

SPECIFICATION

Thickness (mm)
4 mm

Length (m)
-

Material
Galvanized Iron

Diameter
OD
-

DIMENSIONS
(mm)
-

SHAPE
-



SHADE NET
RING - SS

SPECIFICATION

HSN Code
73084000

Thickness (mm)
2.50 mm

Weight / m (gm)
-

Length (Inch)
-

Material
Stainless Steel

Diameter
OD
-

DIMENSIONS
(mm)
-

SHAPE
-



Net Stitching
Clip

SPECIFICATION

HSN Code
-

Usage/Application
Agriculture

Color
Black

Material
Nylon

Surface Finishing
Glossy

DIMENSIONS
(mm)
-

Brand
IG Aatreyas



ALUMINUM FRAME
DOOR

SPECIFICATION

HSN Code
76109090

Thickness (mm)
65mm

Width (mm)
1.2 m

Length (m)
2 m

Material
Aluminum

DIMENSIONS
(mm)
-

SHAPE
-



Air Circulation Fan Greenhouse Accessories

- Recommended in the greenhouse for air circulation and to break the humidity
- Reduces fungal diseases
- Higher Crop Production

Product Information

- Stainless rust-free body
- Easy installation and zero maintenance
- Reduces fungal diseases and leads to better stem length in roses

Exhaust Fan Greenhouse Accessories

Product Information


- Introduces the new generation of polymer material and cross-linked space technology, with the advantages of good absorption, water-proof, fast diffusion, anti-mildew, high efficiency and long service time. It is good for adjusting the room temperature.
- Large evaporation surface area, excellent permeability can guarantee the water evenly wet the wall, cooling efficiency up to 85%.
- Does not contain surfactants, natural water absorption and fast diffusion and good performance. Only 4-5 seconds to complete a drop of water diffusion.
- Natural water absorption is 60-70mm/5min or 200mm/1.5h.
- Special ripper process, high strength, no distortion and more durable.
- Specific solid space structure, providing maximum evaporator surface for water and air thermal exchange.
- The corrosion resistance cooling pad also has the function of ventilation and air cleaning. It is an excellent filter, non-toxic humidifier, oxygen cooling environmentally friendly materials. it also does air purification and filtration media Agriplast cooling fan & pad has the features of easy installation, nontoxic and security, economic and energy-saving, green and environmental protection.



Cooling Pad Greenhouse Accessories

Product Information

- Cooling pads cool by creating large amounts of surface area that are exposed to air being drawn into the greenhouse by exhaust fans. This large surface area allows for quick evaporation.





Manual Chain Roll-Up Curtain Unit Nsa105 Greenhouse Accessories

- Recommended in the greenhouse for operating the side roll-up curtains

Product Information

- Max roll-up length- less than or equal to 100m

Greenhouse Curtain Clamp Greenhouse Accessories Plastic

- Recommended for holding the polyfilm inside the roll up curtain in the greenhouse

Product Information

- Leading manufacturers and suppliers of Greenhouse Curtain clamps

Key Features

- Available in 1/2 inch and 3/4 inch
- Black in colour



Greenhouse Curtain Clamp Greenhouse Accessories Steel

- Recommended for holding the polyfilm inside the roll up curtain in the greenhouse

Product Information

- Leading manufacturers and suppliers of Greenhouse Curtain clamps


Key Features

- Available in 1/2 inch and 3/4 inch
- Black in colour



Ginegar Film Repair Tape Greenhouse Accessories

- To patch minor damages in the polyfilm
- UV stabilized





J Hook
Plastic

HSN Code
73089090

SPECIFICATION

Thickness (mm)
-

Dimensions
Standard

Material
HDPE Plastic



J Hook
Steel

HSN Code
73089090

SPECIFICATION

Thickness (mm)
-

Dimensions
Standard

Material
HDPE Plastic



TRELLISING
TWINE

HSN Code
58063990

SPECIFICATION

Thickness (mm)
9000D

Length (m)
650 m

Material
UV- Resistant Polyester



Tomato Hook Plastic and
Steel (W Hook)

HSN Code
-

SPECIFICATION

Usage/Application
Agriculture

Width
2 Inch

Material
Plastic, Steel

Type
H



Sticky Color Traps

HSN Code

-

SPECIFICATION

Usage/Application
Insect Trap

Color

Blue, green, orange,
purple, white, and yellow

Pest Control Type
Glue Pad

Material
Plastic paper

Packaging Type
Packet

Country of Origin
Made in India



Trellising clip

HSN Code
73084000

SPECIFICATION

Application
To support vegetable plant
under Polyhouse
and Shade Net House

Dimensions
23mm

Material
HDPE

UV Stabilized
Yes

Brand
IG Aatreyas



Rolling Handle

HSN Code

-

SPECIFICATION

Usage/Application
Greenhouse Curtain
Movement

Diameter
250 mm

Life
Long Life

Material
GI

Brand
IG Aatreyas



Universal Joint

HSN Code

-

SPECIFICATION

Usage/Application
For sliding greenhouse
Polyfilm

Description
Greenhouse, Polyhouse

Hardness
Good

Weight
Approx 1 Kg

Life
Long life

Brand
IG Aatreyas



WWW.IGAATREYAS.COM

[in @igaatreyas](https://www.linkedin.com/company/igaatreyas) | [yt igaatreyas](https://www.youtube.com/channel/UCigaatreyas) | [tw IgAatreyas](https://twitter.com/IgAatreyas) | [fb IgAatreyas](https://www.facebook.com/IgAatreyas) | [ig ig_aatreyas](https://www.instagram.com/ig_aatreyas)



- Gandhinagar Office :**
616, Shree Ugati Corporate Park, Kudasán, Gandhinagar, Gujarat - 382421, India.
- Mumbai Office :**
Plot No -1/2/8 B, Opposite Digha Talav, Thane Belapur Road, Digha Airoli, Navi Mumbai – 400708, Maharashtra, India.
- +91 99749 17414, +91 98750 99363
- info@igaatreyas.com